# COMPLIANCE DEPARTMENT FACILITIES AND OPERATIONS CHECKLIST



**USEF Requirements for All Competitions** 

# **RIDING AND LUNGING AREAS REQUIREMENTS**

- □ Footing in all riding and exercise areas; **See** GR1216.11
  - Competition management is required to make an effort to maintain the footing in all riding and exercise areas.
  - Footing must be appropriate for the level of class being held in the arena.
  - Rocks, debris, or other safety hazards must not be present in any riding or exercise area.
- ☐ Lighting must be provided if offering or holding night classes; **See** GR834.2

## **FACILITIES REQUIREMENTS**

- □ Stabling (if provided): **See** GR1215 and GR1216
  - Stalls provided must be of sturdy construction, in good condition and safe for horses and ponies.
  - If a competition offers temporary stabling, tent poles or other structures used to support the covering must not be placed in any stall to be occupied by a horse or pony.
  - Adequate lighting must be provided for competitions offering overnight stabling.
  - For six consecutive hours overnight, stabling must have minimal lighting and noise to allow stabled horses to rest adequately.
  - All permanent barn structures and temporary stabling on competition grounds must have clearly visible identification, such as numbers, letters, or names.
- □ A Level measurement area must be provided if the competition is offering classes which require a measurement card; **See** GR1216.3
- □ Adequate and sanitary toilet facilities must be provided; **See** GR1216.2
- PA system and portable communication devices must be clear and audible. See specific discipline charts for detailed requirements.
  - HJ105-107
  - DR126
  - Eventing Annex 5

## **OPERATIONS AND SAFETY REQUIREMENTS**

- ☐ The accident preparedness plan must be in place prior to the start of the competition. See GR845
- ☐ The isolation protocol must also be in place. **See** GR845.1
- All appropriate officials and staff must be advised of both policies and that they are distributed accordingly. See GR845.2.
- Qualified Medical Personnel
  - Qualified Medical Personnel (as defined under <u>GR847</u>) must be present during all scheduled performances at all
    competitions and during all paid scheduled schooling sessions over fences, including 1 day prior to the start of the
    competition, if applicable.
- ☐ Sharps containers must be provided. **See** GR1210.4.
  - At least one container per 50 horses entered in the competition must be provided.

- Each sharps container(s) must be puncture-resistant with leak-resistant sides and bottom.
- Lid(s) must be tight-fitting and puncture-resistant and should not allow sharps to come out of the container.
- Sharps container(s) must be placed out of the elements so they do not collect rainwater, labeled with hazardous warning sign(s), and must be disposed of when they are three-quarters (3/4) or more full.
- Veterinarians must be: See GR1211.5 and EN107 for Endurance competition requirements
  - On site if
    - □ Previous year's competition's entry number was 300 or more horses
    - □ First-year multi-day competition with National or Premier rated hunter sections
  - On call at all other competitions with (rated or non-rated divisions)
  - Contact information must be posted at the show office.
- ☐ The farrier must be: See GR1211.6
  - On site if the following breeds and/or disciplines are offered:
    - ☐ **Hunter:** National and Premier rating
    - □ **Jumper**: Level 5 and 6
    - Breeds: Arabian, Morgan, Hackney, Roadster, American Saddlebred, or National Show Horse competitions
    - □ **Dressage:** Level 4 and 5
    - Eventing: Preliminary through Advanced levels during Cross Country and Show Jumping phases
  - On site or on call at all other competitions
- □ Potable water must be available; **See** GR1216.4.
- □ Food must be provided on competition grounds; **See** GR1216.4.
- □ Signage
  - Directions to the facility must be posted at the show office; **See** <u>GR1216.8</u>.
  - Name, address, and telephone number of the closest veterinary emergency and surgical facility must be posted;
     See GR1216.9.

# **USEF SAFE SPORT COMMUNICATION REQUIREMENTS**

- □ MAAPP poster must be posted at the show office in English and Spanish.
- □ USEF Safe Sport Awareness and Resources poster must be posted at the show office in English and Spanish.
- □ Direct communication must be delivered to participants as per USEF Safe Sport Quality Control System: <u>USEF Safe Sport Competition Management Toolkit</u>.

# **USEF Recommendations for all Competitions**

#### **SUGGESTED BEST PRACTICES**

#### □ Riding and Lunging Areas:

- Unevenness, inconsistency, or holes should not be present in any riding or exercise area.
- Barriers (if any) surrounding arenas should be well-maintained.
- Arenas should have signage indicating their name/number to assist those who may be new to the facility.
- Any jumps/obstacles should be in serviceable condition.

#### □ <u>Facilities:</u>

•	General
-	OCHCIAI

Landscaping, fencing, buildings, officials' booths, roads and pathways, facility equipment, seating areas, etc. should be in in serviceable condition.

#### Stabling (if provided)

- □ Stabling should be well-maintained, clean upon exhibitors' arrival, with effective drainage, safe installments of electricity, airflow, lighting, and convenient water sources.
- □ Nails, broken boards, unlevel floors, holes, or gaps where horses could become entangled should not be present in stalls, doorways, or stabling aisleways.
- Sliding stall doors, kick stops, and latches should be functional and well-maintained.
- Wash areas (if provided)
  - □ Wash areas should be kept tidy, with the ability to drain, and sufficient in number.
  - Any barriers surrounding the wash area should be well-maintained and free of potential safety hazards (exposed nails, broken boards, degraded or severely uneven base, etc.).
- Manure waste containment and removal
  - ☐ The placement of manure waste containment areas should be separate from heavy traffic areas.
  - □ Waste containment areas should be emptied as often as needed.
  - □ Water should not accumulate in the waste containment area.
- Trash containment and removal
  - □ Trash receptacles should be available in convenient locations throughout the competition area.
  - ☐ Trash receptacles should be emptied as often as needed.
- Restrooms
  - □ Restrooms should be available in convenient locations throughout the competition area, including with USEF Safe Sport signage.
  - □ Restrooms should be well-stocked with bathroom tissue and soap/hand sanitizer.

#### □ Operations and Safety:

- Management, office staff, and competition staff (in-gate and grounds crew) should be sufficient in number, knowledgeable and provide friendly and effective customer service.
- Onsite medical personnel should be easily identifiable.
- Signage
  - □ Directions within the venue for those who may be new to the grounds
  - □ Parking/no parking areas
  - USEF Safe Sport Awareness and Resources and MAAPP poster in English and Spanish posted in high traffic areas such as stabling and restrooms
  - Contact information for the farrier
- Where possible and if required by the specific discipline rules, provide separate pathways for motor vehicles and horses/pedestrians.